

ZAANTHEATER TECHNICAL SPECIFICATIONS

Small Auditorium

Please be aware that no rights can be derived from the information included in these technical specifications. Equipment stated in this list can be shared between spaces.

Seating

Retractable seating	
Capacity	209 (230 with add. row)
Wheelchair spaces	2



Dimensions

Performing area (wxd)	10m x 7,3m Kerouing wood, max load per m2: 750Kg
Stage (wxd)	14,95m x 8,16m Kerouing wood, max load per m2: 750Kg
With seats retracted (bxh)	14,95m x 17,4m Kerouing wood, max load per m2: 750Kg
Setting line to backdrop	maximum 7,3m
Center line to stage R wall	8,47m
Center line to stage L wall	6,49m
Max. clrc. Under bridges (fixed)	7m
Portal (fixed)	7m
Manteaux	none
Standard masking width	10m

Loading & Unloading (passenger cars prohibited)

Location	loc. behind stage right (inhouse)
Dock leveler	boxtruck/van dock with leveler
Dock length	7,15m
Dimensions outer door (wxh)	3,50m x 4,50m
Dimensions inner door (wxh)	3,50m x 3,46m
Navigation address	Nicolaasstraat 3, Zaandam
Passenger car parking	Parkeergarage onder het theater



Masking & Flooring

House curtain	None
Masking	black, non pleated, on fixed rails.
Legs (wxh)	Stage right 4m x 7m (6x), Stage left 1,95m x 7m (6x)
Borders	None
Cyclorama (wxh)	ecru 10,90m x 7m
Backdrop	black, non pleated, same position as cyclorama
Cable Tray	None
Marley	Black 14,90m x 1,60m, 6 rolls

ZAANTHEATER TECHNICAL SPECIFICATIONS

Power supplies

Light only power supplies

stage 2x63A

Sound only power supplies

stage 1x32A

located throughout venue 240v regular power (red power sockets)

Fly system

Operating system TWS (singular operation)

Bars 11x

Distance between fly bars 0,6m

Length fly bars 10,80m

Max. height bars 8,90m

Safe working load 150kg

Maximum point load per bar 100kg

US Truss Backdrop & cyclo on rail

FOH Truss hoist lifted, on rail (2x)

Bridges FOH, Portal, Sides

Communication

Wired Intercom 3 sets ASL (FOH cabin, FOH, Upstage right)

Show relay dressing rooms switchable between small/large auditorium

Paging dressingrooms located in FOH cabin

Video in dressing rooms wide view stage from auditorium

Grand piano / Upright piano

Pleae note: these items are shared between spaces, contact us for availability

Yamaha C7x grand piano 440 Hz

Yamaha C7x grand piano 442 Hz

Yamaha mp100 Upright 440 Hz

Lighting

DMX tie lines (send) multiple locations on stage R and L, FOH, Cabin, bridges

DMX tie lines (receive) multiple locations on stage R and L, FOH, Cabin, bridges

Dimmers stage/bridges/bars 24 dimmers with hard patch

Dimmers fixed installation 96 dimmers

Zm. profile 1KW (FOH, portal, side) Strand (30x)

PC 2KW (FOH Bridge) ADB C203 (6x)

PC 1 KW (Portal Bridge) ADB C103 (6x)

ZAANTHEATER TECHNICAL SPECIFICATIONS

Additional light stock

Pleae note: these items are shared between spaces, contact us for availability

Lighting desks	GrandMA2 on PC + wing, GrandMA2 light
PAR cans	fourbar CP62 medium (4x)
PAR cans	CP62 medium (10x)
Fresnel 2KW	ADB F201 (8x)
Fresnel 1KW	ADB F101 (10x)
PC 1KW	ADB C103 (8x)
Zoom profile 1KW	Strand (8x)
Dimmer rack	24 channels, Compulite
Hazer	Pea Soup Phantom CO2

Sound

Sound system	D&B (4x1220, 2xB1)
Processing	Soundweb (BLU32 8in-8out)

Additional sound stock

Pleae note: these items are shared between spaces, contact us for availability

Mixing Console	Yamaha CL-1, CL-5, LS9, M7CL
Stagebox dante	Focusrite RedNet set 32 in - 16 out (2x)
Speakers	D&B Max12(6x), D&B M6(4x), Idea exo-sm16(8x), Meg sub(2x)
Amps	Ram V12044(3x), Crown XTi4000(5x), D&B D20
Powered speakers	pa108a(2x), TX12(2x), SRM350v2(2x),
Analog multicore	36 in/out to FOH from stage R or 24 in/out from stage L
Stagebox analog	64 in/out transformer separated splits with socapex i/o
Breakout box in/out	12 channel soca (5x)
Breakout box inputs	12 channel soca (6x)
Wireless	RF Toolbox XL antenna distribution incl. pre-amps/antennas
Assortment of mics and DI's	e.g. shure, akg, audix (please check in advance)

Video

Pleae note: these items are shared between spaces, contact us for availability

Projector	Panasonic PT MZ 880BEJ (fixed positon, portal bridge)
Front projected screen WxH	4,35m x 2,45m (16:9)
Switcher	Roland V1HD
Splitters/converters/extend	assortment available (please check in advance)

Other materials

Pleae note: these items are shared between spaces, contact us for availability

Elevated work platform	Alp PHCI 940 maximum height 8,5 M
Ladders	Multiple A-Frame Step Ladders (aluminium)
Chairs stage	30 black orchestral stage chairs
Chairs orchestra	20 black orchestral stage chairs
Stage tables	2m x 1m x 0,80m (10x)